

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): An organic electroluminescence display element comprising a first conductive layer, a second conductive layer opposed to the first conductive layer, a driving circuit connecting terminal connected electrically to the first conductive layer via a supplementary wire and an organic electroluminescence layer disposed between the first conductive layer and the second conductive layer, wherein the supplementary wire has at least one surface layer ~~as a layer~~ containing Mo or a Mo alloy and a number of supplementary wires is at least 30.

Claim 2 (Original): The organic electroluminescence display element according to claim 1, wherein the first conductive layer is connected to the layer containing Mo or a Mo alloy.

Claim 3 (Original): The organic electroluminescence display element according to claim 1, wherein the second conductive layer is made of ITO.

Claim 4 (Original): The organic electroluminescence display element according to claim 1, wherein the supplementary wire has a layer made of Al, an Al alloy, Ag or an Ag alloy.

Claim 5 (Original): The organic electroluminescence display element according to claim 1, wherein the first conductive layer is connected to an etched surface of the layer containing Mo or a Mo alloy.

Claim 6 (Currently Amended): The organic electroluminescence display element according to claim 1, wherein ~~a~~ the portion of the first conductive layer connected to the layer containing Mo or a Mo alloy, ~~of the first conductive layer~~ is defined by an insulation film.

Claim 7 (Original): The organic electroluminescence display element according to claim 1, wherein the Mo alloy contains Nb.

Claim 8 (Currently Amended): The organic electroluminescence display element according to claim 7, wherein ~~a~~ the content of Nb in the Mo alloy is 5 to 20 atomic %.

Claim 9 (Canceled).

Claim 10 (Currently Amended): The organic electroluminescence display element according to claim 1, wherein ~~a~~ the portion of the first conductive layer connected to the ~~the~~ [[a]] supplementary wire, ~~of the first conductive layer~~ contains Al or an Al alloy.

Claim 11 (Currently Amended): An organic electroluminescence display element comprising a first conductive layer, a second conductive layer opposed to the first conductive layer, a driving circuit connecting terminal connected electrically to the first conductive layer via a supplementary wire and an organic electroluminescence layer disposed between the first conductive layer and the second conductive layer, wherein the supplementary wire comprises at least 3 layers including a layer containing Mo or a Mo alloy as a surface layer and a layer containing Al or an Al alloy formed below the surface layer, and a number of supplementary wires is at least 30.

Application No. 10/828,416
Reply to Office Action of February 3, 2005

Claim 12 (Original): An organic electroluminescence display device comprising the organic electroluminescence display element described in claim 1 and a driving circuit for driving the organic electroluminescence display element.

Claim 13 (Canceled).